

# High voltage services

From 69kV to 800kV





## Product support for new and legacy high voltage equipment, retrofit solutions, and replacement circuit breakers for most OEMs

Siemens Energy Transmission Service US is committed to supporting you with qualified parts and factory trained field service support throughout your products' life cycle. With our team, an experienced, factory trained engineer who specializes in high voltage SF<sub>6</sub> breaker installations will be onsite to provide technical assistance each step of the way.

Turnkey installation services can include replacement and disposal of an existing oil circuit breaker. Thousands of oil circuit breakers (OCBs) made by a variety of original equipment manufacturers (OEMs) are nearing the end of their useful life. In addition to the high cost and difficulties of finding placement parts, environmental concerns have encouraged customers to replace these breakers with new Siemens Energy SF<sub>6</sub> breakers (SPS2, CPV2, and 3AT2).

### Supporting:

- Turnkey breaker installation/OCB changeouts
- Life-extension and uprate solutions
- Technical field assistance
- Turnkey maintenance and repair
- Testing services
- Current transformers (CTs)
- Replacement parts
- Replacement circuit breakers
- Replacement contactors
- Ground and test devices
- Training on site or at our factory.

# Support capabilities

## Gas Insulated Circuit Breakers

Brand/ Type	Model	Operator	Spare Parts	Uprate Available	Refurbishment Equipment	Field Service	Training
Siemens Energy	SPS2	FA2-FA5	✓	✓	✓	✓	✓
	SPS	SE4	✓	✓	✓	✓	✓
	SPS1	SE4	✓	✓	✓	✓	✓
	3AT	PH30	✓		Limited	✓	
	LPO	PH30	✓			✓	
Westinghouse	SP	SA7	✓			✓	
Merlin Gerin			Limited			✓	

## Oil Breakers

Brand/ Type	Model	Operator	Spare Parts	Uprate Available	Refurbishment Equipment	Field Service	Training
Allis-Chalmers	BZO	PH33E-5, PH33T-5, PH33T-6	✓		✓	✓	
	FZO		✓			✓	
			Limited			✓	

## Field service

Choosing Siemens Energy as your service partner is easy. You have a team of highly trained technicians and engineers, backed by the latest technology and the resources of a global leader. Our technicians are committed to your success. They know your equipment and are focused on solving your most common and difficult challenges.

### Services include:

- Power transformer services
- Power circuit breaker services
- High voltage systems services
- Protection and control services
- Engineering and project management
- Project planning and logistics
- Installation and commissioning services
- Preventative maintenance services
- On-call maintenance agreements
- Emergency services
- Technical field assistance
- Upgrades, upgrades and life-extension solutions
- After-market parts
- T&D equipment training
- Load-tap changer services of all manufacturers and types.

## Training

### Onsite training

Siemens Energy can provide an experienced field engineer to bring technical, hands-on training in the environment that you are comfortable in. In this setting, maintenance technicians and asset owners can interact directly with the equipment as the instructor walks through maintenance and repair techniques. We can provide additional learning materials and incorporate classroom instruction as part of the training when needed.

### Technical field assistance

When field service arises, either planned or unplanned, you can contact Siemens Energy to provide a factory trained engineer to come onsite and assist your chosen contractors or maintenance crews with OEM experience to help you perform your work.

### Factory training

You will be hosted at one of our factories where subject matter experts are located, along with relevant equipment demos. Curriculum is designed to increase the knowledge of personnel responsible for handling, installing, and maintaining the equipment. The program consists of classroom training and hands-on instruction.



# LifeGuard™ High Voltage Circuit Breaker

## 30-year extended warranty program

The Siemens Energy LifeGuard™ high voltage circuit breaker 30-year extended warranty program is an extended warranty program that brings peace of mind and enhanced financial returns to your business. The program is a warranty extension and long-term maintenance program combined into a single offering. This offering may allow asset owners to capitalize the majority of the costs of ownership over a thirty-year period, assuming the circuit breaker expense may be included as part of a utility's rate base. By being incorporated into the rate base rather than treated as a normal ownership expense, a utility is afforded the opportunity to obtain a rate of return on both the circuit breaker itself as well as the capitalized cost of ownership including maintenance. Depending upon the financial structure of a utility, the increase in rate of return on a typical high voltage circuit breaker can be between 20 to 40 percent.

In addition to potential enhanced financial returns, Siemens Energy performs all preventative and corrective maintenance associated with the life of the circuit breaker. Incorporated into the cost of the program is remote monitoring of the circuit breaker, which allows Siemens Energy technicians to blend both time- and condition-based maintenance to assure circuit breaker serviceability. Annual reports are provided to the asset owner presenting circuit breaker performance parameters measured during the circuit breaker's operation, as well as test results after major maintenance service is performed.

LifeGuard™ high voltage circuit breaker extended warranty program can be easily added to circuit breakers purchased under a long-term purchase agreement, with circuit breakers automatically enrolled and covered by the program once commissioned into operation.

The basic extended warranty program covers all typical high voltage circuit breaker applications, such as transmission and transformer protection, with special circuit breaker applications, such as cap bank or reactor switching, being available after technical review of operational and load characteristics. The program covers all SPS2 circuit breaker ratings and associated mechanisms.

## Benefits of the program include:

- Preventative and corrective maintenance costs fixed for 30-year term of coverage
- Capitalization of the program's costs allow enhanced rate of return on asset ownership
- Future corrective maintenance cost risk is eliminated for the period of coverage
- Siemens Energy maintains inventory of parts to support maintenance programs
- Ongoing reports of circuit breaker performance and maintenance performed provided annually
- Can be added to high voltage circuit breaker long-term purchasing agreements
- High voltage circuit breakers can be relocated and still covered under the program.

In addition to providing factory-trained personnel to perform maintenance and the use of genuine Siemens Energy parts, the data captured from the circuit breaker remote monitoring system provides additional insight into circuit breaker lifecycle management. Data and its related analysis can be provided by Siemens Energy to better plan asset capital investment.

**Term:** Up to 30 years from installation

**Coverage:** Preventative and corrective maintenance

**Product:** Available for all Siemens Energy SPS2 72 to 550kV live and dead tank high voltage circuit breakers

# Maintenance and upgrades

Model	Maintenance intervals		Available updates	Available upgrades
	Operations	Per year		
TCP	3000	12	<ul style="list-style-type: none"> <li> <b>Interrupting rating</b>            Many 121 145kV TCP breakers were originally designed for 40kA. Siemens Energy can increase this rating to 50kA by adding line to ground capacitors.         </li> </ul>	<ul style="list-style-type: none"> <li> <b>Pressure relief valve</b>            Prevent leakage by replacing “dart” type relief valve with direct acting “ball” type.         </li> <li> <b>Power unit modification</b>            Replace out-of-production Barnes pump with modern design.         </li> <li> <b>Dual trip coils</b>            Additional trip coils provide redundancy.         </li> <li> <b>Current transformer (CT) covers</b>            Prevent corrosion by replacing original steel plate with aluminum.         </li> <li> <b>-40°F temperature operation</b>            Improve operating temperature to -40°F by adding tank heaters.         </li> <li> <b>Seismic rating</b>            Upgrade breaker to meet seismic zone 3 or 4.         </li> <li> <b>SF<sub>6</sub> manifold</b>            Upgrade SF<sub>6</sub> manifold with sampling valve.         </li> </ul>
SP/SPS	2000	8	<ul style="list-style-type: none"> <li> <b>Interrupting rating</b>            Many SP breakers were originally designed for 23kA. Siemens Energy can increase this rating to 31.5kA by replacing the interrupter and adding a tank liner. Siemens Energy can further increase this rating to 40kA by adding line to ground capacitors.         </li> <li> <b>Continuous circuit</b>            Many SP breakers were originally designed for 1,200 amperes. Siemens Energy can increase this rating to 2,000 or 3,000 amperes by changing a bushing component and possibly the current transformers.         </li> <li> <b>Voltage rating</b>            It is possible to increase the voltage rating to 72kV by adding voltage shields.         </li> </ul>	<ul style="list-style-type: none"> <li> <b>SF<sub>6</sub> pressure monitoring</b>            Several methods were applied to monitor gas pressure. The later design incorporated a temperature compensated pressure switch in conjunction with a lockout relay that prevents the breaker from operating while the pressure is below safe operating levels. Breakers with other methods can be upgraded to this functionality.         </li> <li> <b>Control cabinet anti-condensation</b>            Prevent corrosion in the control cabinet by adding an anticondensation heater assembly.         </li> <li> <b>-40°F temperature operation</b>            Improve operating temperature to -40°F by adding tank heaters.         </li> <li> <b>Replacement porcelain bushings</b>            SP breakers manufactured prior to 1988 utilized epoxy bushings. Siemens Energy can field install replacement porcelain bushings.         </li> <li> <b>Manifold assembly</b>            Prevent corrosion and leakage on the manifold by replacing the original stainless-steel tubing with new copper tubing.         </li> </ul>
SPS2		20-25	<ul style="list-style-type: none"> <li>           Some models can be updated to 63kA by adding capacitors.         </li> </ul>	

Published by:

Siemens Energy, Inc.  
SE GP T SV NA US  
8841 Wadford Drive  
Raleigh, NC 27616  
USA

Article No.: PTSV-B40016-01-4AUS

For more information, please visit our website:

[www.siemens-energy.com/t-service](http://www.siemens-energy.com/t-service)

Siemens Energy is a trademark licensed by Siemens AG.

Legal information: Subject to changes and errors. The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.